	•	•		UTAH OIL	AND GAS C	ONSERVATION C	OMMISSION	l	•	. 7
REMARKS:	WELL LOG	ELE	CTRIC LOGS	FILE X	WATER SAN(	DSLOCAT	ION INSPECTED	)	SUB. REPORT/abd.	Hook .
	app	Vicat	ion hese	inded	6.2.85					
										•
		<del></del>	·							
ATE FILED		8-12-8	3							
AND: FEE & P	PATENTED	STATE	EASE NO. ML	22060		PUBLIC LEASE NO.			INDIAN	
RILLING APPR	ROVED:	8-30-8	3 - OIL (	Exception	on Locat	ion)				
PUDDED IN:										
OMPLETED:			PUT TO PRODU	JCING:						
ITIAL PRODU	JCTION:									
RAVITY A.P.I.										
OR:										
RODUCING ZO	ONES:									
TAL DEPTH										
ELL ELEVATION	ON: 5/	9516	SR							
TE ABANDO	NED: LA	4.2.8	5							
LD: 3/6	6 MONUN	MENT BU	TTE							
IIT.										
UNTY:	DUCHE									
ELL NO	GILSO	DNITE S	TATE 10-32				API	#43-0	)13-30814	
CATION	2194	FSL F	T. FROM (N) (S) LINE,	2161	FEL	FT. FROM (E) (W)	LINE NWS	SE	1/4 — 1/4 SE	.c. 32
TWP.	RGE.	SEC.	OPERATOR			TWP.	RGE.	SEC.	OPERATOR	
0.0	175	70	TOWAY TY	'DI OD AET	21. 60					
8\$	17E	32	LOMAX EX	.Prokati(	in co.					

August 10, 1983

State of Utah Division of Oil and Gas 4241 State Office Building Salt Lake City, Utah 84114

> Gilsonite State #10-32 NW/SE Section 32, T8S, R17E Duchesne County, Utah

### Gentlemen:

Enclosed are three copies of the APD for the subject well. This application includes the drilling program, location plat and BOP diagram.

It is requested that you forward a copy of the approval to drill to Lomax's Roosevelt office at 248 N. Union, Roosevelt, Utah 84066.

Please advise if you need additional information.

Very truly yours,

Michele Tisdel

Sec. Drilling & Production

MT Enclosures (3)

AUG 19 1993

DIVISION OF GAS A MINIMO

# STA OF UTAH (Other in rever DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING


SUBMIT IN PIPLICATE\*
(Other in ctions on reverse side)

1	
1	U

5. Lease Designation and Sprial No.

	M 22060
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK	6. If Indian, Allottee or Tribe Name
. Type of Work  DRILL \( \overline{\text{V}} \)  DEEPEN \( \overline{\text{DEEPEN}} \)  PLUG BACK \( \overline{\text{DEEPEN}} \)	7. Unit Agreement Name
Type of Well  Oil   Y  Gas   Multiple   Mult	8. Farm or Lease Name
Oil Gas Single Multiple Name of Operator	Gilsonite State
Lomax Exploration Company	9. Well No.
Address of Operator	10-32
P.O. Box 4503, Houston, TX 77210	10. Field and Pool, or Wildcat
Location of Well (Report location clearly, and in accordance with any State requirements.*)	- Monument Butte
At surface 2161 FEL & 2194' FSL NW/SE	11. Sec., T., R., M., or Blk. and Survey or Area
At proposed prod. zone	Section 32, T8S, R17E
Distance in miles and direction from nearest town or post office*	
10 miles South of Myton, Utah	Duchesne Utah
location to nearest to the	of acres assigned is well
property or lease line, ft. (Also to nearest drlg. line, if any)  2161  598.67	40
to nearest well, drilling, completed.	ry or cable tools
or applied for, on this lease, ft. 1038 5/00	Rotary
Elevations (Show whether DF, RT, GR, etc.)	22. Approx. date work will start*
5195' GR	October, 1983
PROPOSED CASING AND CEMENTING PROGRAM	
Size of Hole Size of Casing Weight per Foot Setting Depth	Quantity of Cement
12 1/4 8 5/8 24 300	To Surface
7 7/8 5 1/2 17 TD	
7 7/8 5 1/2 17 TD	As Required
1. Drill 12 1/4" hole to 300'. Set 8 5/8" 24# J-55 c. surface.	
1. Drill 12 1/4" hole to 300'. Set 8 5/8" 24# J-55 c	asing. Cement to
<ol> <li>Drill 12 1/4" hole to 300'. Set 8 5/8" 24# J-55 c surface.</li> <li>Drill 7 7/8" hole to TD. Set 5 1/2" 17# J-55 casi</li> </ol>	asing. Cement to
<ol> <li>Drill 12 1/4" hole to 300'. Set 8 5/8" 24# J-55 consurface.</li> <li>Drill 7 7/8" hole to TD. Set 5 1/2" 17# J-55-casing and set in the second of the sec</li></ol>	asing. Cement to  ng. Cement as required.  1883
<ol> <li>Drill 12 1/4" hole to 300'. Set 8 5/8" 24# J-55 consurface.</li> <li>Drill 7 7/8" hole to TD. Set 5 1/2" 17# J-55-casing and set in the set of the s</li></ol>	asing. Cement to  ng. Cement as required.  1993  esent productive zone and proposed new proposed and true vertical depths. Give blowout
1. Drill 12 1/4" hole to 300'. Set 8 5/8" 24# J-55 cosurface.  2. Drill 7 7/8" hole to TD. Set 5 1/2" 17# 3-55 casis  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on proceeding some. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measurement program, if any.  Fingineering Assistant	asing. Cement to  ng. Cement as required.  1993  esent productive zone and proposed new proposed and true vertical depths. Give blowow  August 9. 19
1. Drill 12 1/4" hole to 300'. Set 8 5/8" 24# J-55 consurface.  2. Drill 7 7/8" hole to TD. Set 5 1/2" 17# 3-55 casis  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on protive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measurement program, if any.  Signed Paul Curry  Title Engineering Assistant	asing. Cement to  ng. Cement as required.  1883  esent productive zone and proposed new produced and true vertical depths. Give blowout  Date
1. Drill 12 1/4" hole to 300'. Set 8 5/8" 24# J-55 c. surface.  2. Drill 7 7/8" hole to TD. Set 5 1/2" 17# J-55-casing and set of the space of the set of	asing. Cement to  ng. Cement as required.  1887  esent productive zone and proposed new property and true vertical depths. Give blowout  Date

# T85 , RITE , S.L.B.&M.



X = Section Corners Located

## LOMAX EXPLORATION

Well location, G/LSON/TE STATE # 10 - 32, located as shown in the NW1/4 SE1/4 Section 32, T8S, R17E, S.L.B.&M. Duchesne County, Utah.


#### CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ABOUT TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
REGISTRATION Nº 3137
STATE OF UTAH

# UINTAH ENGINEERING & LAND SURVEYING POBOX Q - 85 SOUTH - 200 EAST VERNAL, UTAH - 84078

WEATHER	Fair	FILE
PARTY	RK DK RKP	REFERENCES G. L.O. Plat
SCALE	I = 1000'	DATE 2/28/83



OPERATOR LOMAX EXPLORATION	1 60	DATE 8-16-83
WELL NAME GILSONITE STATE		
SEC NW SC 32 T 85	R /74 COUNTY	DUCHESNE
43-013-30814 API NUMBER	T	STATE YPE OF LEASE
POSTING CHECK OFF:		
INDEX	MAP	HL
NID		PI
PROCESSING COMENTS:	21' to the East a	end 54' to the South
without being to close to a	ther wells - Pres	ent location will
require c-3 (2) reque	7. ( Rec'd 8-30	-8-E)
/ Water oh		
CHIEF PHIROLEUM ENGINER CHIEF!	031	
OIL, GAS-30	estan	
DATE		
APPROVAL LETTER:		
SPACING: A-3 UNIT	c-:	3-a CAUSE NO. & DATE
c-3-b	c-:	3-с
SPECIAL LANGUAGE & a ropy of the Utah	Division of a	Jala Right
(801-15-32-6071	Japaroval y	n used water
at the drilling su	ité most se	supmitted to
this office prior	o speedoling	, Thewise This
drilling approve	el is void	·

is a m

RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON FLAT MAP.
AUTHENTICATE LEASE AND OPERATOR INFORMATION
VERIFY ADEQUATE AND PROPER BOIDING STATE WIDE
AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.
APPLY SPACING CONSIDERATION
ORDER AND
UNIT NO
c-3-b
с-3-с
CHECK DISTANCE TO NEAREST WELL.
CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.
IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER
IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUACE.



August 25, 1983



State of Utah Division of Oil and Gas 4241 State Office Building Salt Lake City, Utah 84114 DIVISION OF OIL, GAS & MINING

Attention: Mr. Norm Stout

Gilsonite State #10-32 NW/SE Section 32, T8S, R17E Duchesne County, Utah

### Gentlemen:


Lomax Exploration Company requests an Exception Location under Rule C 3 (c) for the subject well. We are requesting an Exception Location due to topographic problems in the area. Lomax Exploration Company controls the mineral rights of all land within a 660' radius of the proposed Exception Location.

Enclosed is a topo map of the location. If you need any additional information, please call.

I suit

V.P. Drilling & Production

GLP/mdt Enclosure T8S , RITE , S.L.B.&M.



X = Section Corners Located

### LOMAX EXPLORATION

Well location, G/LSON/TE STATE # 10 - 32, located as shown in the NW1/4 SE 1/4 Section 32, T8S, R17E, S.L.B.&M. Duchesne County, Utah.



DIVISION OF OIL, GAS & MINING


#### CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ABE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION Nº 3137

UINTAH ENGINEERING & LAND SURVEYING
POBOX Q ~ 85 SOUTH ~ 200 EAST
VERNAL, UTAH ~ 84078

SCALE	1" = 1000'	DATE 2/28/83
PARTY	RK DK RKP	REFERENCES G. L.O. Plat
WEATHER	Fair	FILE



August 30, 1983

Lomax Exploration Company P. O. Box 4503 Houston, Texas 77210

> RE: Well No. Gilsonite State 10-32 NWSE Sec. 32, T. 8S, R. 17E 2194' FSL, 2161' FEL Duchesne County, Utah

### Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to oil well on said unorthodox location is hereby granted in accordance with Rule C-3(c), General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Chief Petroleum Engineer

Office: 533-5771 Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.


The API number assigned to this well is 43-013-30814.

Sincerely,

11/11

Norman C. Stout Administrative Assistant

NCS/as cc: State Lands Encl.



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Trìad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

May 2, 1985

Lomax Exploration Company PO Box 4503 Houston, Texas 77210

Gentlemen:

Re: Well No. Gilsonite State 10-32 - Sec. 32, T. 8S., R. 17E., Duchesne County, Utah - API #43-013-30814

Due to excessive time delay in commencing drilling operations approval to drill the subject well is hereby rescinded, effective one calendar month from the date of this notice. If any operations have been performed on this well location it is imperative that you notify this division immediately.

A new "Application for Permit to Drill" must be filed with this office for approval, <u>prior</u> to future drilling of the subject location.

Sincerely,

Jøhn R. Baza

Fetroleum Engineer

cc: Dianne R. Nielson

Ronald J. Firth

File

01705/34